

# Bibliography

- Parham Aarabi. Self-localizing dynamic microphone arrays. *IEEE Transactions on Systems, Man, and Cybernetics—Part C: Applications and Reviews*, 32(4):474–484, 2002. (Cited on pages [31](#), [57](#), [84](#), [98](#), and [106](#).)
- Robert Aichner, Herbert Buchner, and Walter Kellermann. Exploiting narrowband efficiency for broadband convolutive blind source separation. *EURASIP Journal of Advances in Signal Processing*, 2007:1–10, 2007. (Cited on page [28](#).)
- F. Aigner and M. J. O. Strutt. On a physiological effect of several sources of sound on the ear and its consequences in architectural acoustics. *The Journal of the Acoustical Society of America*, 6(3):155–159, 1935. (Cited on page [11](#).)
- V. R. Algazi, R. O. Duda, R. P. Morrison, and D. M. Thompson. Structural composition and decomposition of hrtfs. In *IEEE Workshop on Applications of Signal Processing to Audio and Acoustics*, pages 103–106, 2001a. (Cited on page [11](#).)
- V. R. Algazi, R. O. Duda, D. M. Thompson, and C. Avendano. The CIPIC HRTF database. In *IEEE Workshop on Applications of Signal Processing to Audio and Acoustics*, pages 99–102, 2001b. (Cited on pages [21](#), [33](#), and [94](#).)
- J. B. Allen, D. A. Berkley, and J. Blauert. Multimicrophone signal-processing technique to remove room reverberation from speech signals. *Journal of the Acoustical Society of America*, 62(4):912–915, 1977. (Cited on pages [60](#), [62](#), and [63](#).)
- Jont B. Allen and David A. Berkley. Image method for efficiently simulating small-room acoustics. *Journal of the Acoustical Society of America*, 65(4):943–950, 1979. (Cited on pages [11](#) and [89](#).)
- M. Aoki and K. Furuya. Real-time source separation based on sound localization in a reverberant environment. In *Neural Networks for Signal Processing, 2002. Proceedings of the 2002 12th IEEE Workshop on*, pages 475–484, 2002. (Cited on page [30](#).)
- Tanya L. Arbogast, Christine R. Mason, and Jr. The effect of spatial separation on informational and energetic masking of speech. *Journal of the Acoustical Society of America*, 112(5):2086–2098, 2002. (Cited on page [20](#).)
- Peter Assmann and Quentin Summerfield. The perception of speech under adverse conditions. In *Speech Processing in the Auditory System*, pages 231–308. Springer, 2004. (Cited on page [14](#).)

- Hagai Attias. New EM algorithms for source separation and deconvolution with a microphone array. In *Proceedings of the IEEE International Conference on Acoustics, Speech, and Signal Processing*, volume 5, pages 297–300, 2003. (Cited on page 29.)
- Jon P. Barker, Martin P. Cooke, and Daniel P. W. Ellis. Decoding speech in the presence of other sources. *Speech Communication*, 45(1):5–25, January 2005. (Cited on pages 29 and 30.)
- Anthony J. Bell and Terrence J. Sejnowski. An information-maximization approach to blind separation and blind deconvolution. *Neural Comput.*, 7(6):1129–1159, 1995. (Cited on page 27.)
- Arthur H. Benade. From instrument to ear in a room: Direct or via recording. *Journal of the Audio Engineering Society*, 33(4):218–233, April 1985. (Cited on page 11.)
- Jens Blauert. *Spatial Hearing - Revised Edition: The Psychophysics of Human Sound Localization*. The MIT Press, 1997. (Cited on pages 21, 22, and 23.)
- P. Bloom and G. Cain. Evaluation of two-input speech dereverberation techniques. In *Proceedings of the IEEE International Conference on Acoustics, Speech, and Signal Processing*, volume 7, pages 164–167, 1982. (Cited on page 63.)
- Markus Bodden. Modeling Human Sound Source Localization and the Cocktail-Party-Effect. *Acta Acustica*, 1:43–55, 1993. (Cited on pages 30 and 45.)
- Jonas Braasch. Modelling of binaural hearing. In Jens Blauert, editor, *Communication Acoustics*, chapter 4, pages 75–108. Springer, 2005. (Cited on page 25.)
- J. Bradley and R. Kirlin. Delay estimation by expected value. *Acoustics, Speech and Signal Processing, IEEE Transactions on*, 32(1):19–27, 1984. (Cited on page 69.)
- J. S. Bradley, H. Sato, and M. Picard. On the importance of early reflections for speech in rooms. *Journal of the Acoustical Society of America*, 113(6):3233–3244, 2003. (Cited on page 11.)
- Jeroen Breebaart, Steven van de Par, and Armin Kohlrausch. Binaural processing model based on contralateral inhibition. I. model structure. *Journal of the Acoustical Society of America*, 110(2):1074–1088, 2001a. (Cited on page 25.)
- Jeroen Breebaart, Steven van de Par, and Armin Kohlrausch. Binaural processing model based on contralateral inhibition. II. dependence on spectral parameters. *Journal of the Acoustical Society of America*, 110(2):1089–1104, 2001b. (Cited on page 25.)
- Jeroen Breebaart, Steven van de Par, and Armin Kohlrausch. Binaural processing model based on contralateral inhibition. III. dependence on temporal parameters. *Journal of the Acoustical Society of America*, 110(2):1105–1117, 2001c. (Cited on page 25.)
- Albert S. Bregman. *Auditory Scene Analysis: The Perceptual Organization of Sound*. The MIT Press, September 1990. (Cited on pages 18 and 30.)
- Scott Bressler and Barbara G. Shinn-Cunningham. Effects of pitch and spatial separation on selective attention in anechoic and reverberant environments. *Journal of the Acoustical Society of America*, 123(5):2978, 2008. (Cited on pages 6, 113, and 114.)

- A. W. Bronkhorst and R. Plomp. The effect of head-induced interaural time and level differences on speech intelligibility in noise. *Journal of the Acoustical Society of America*, 83(4):1508–1516, 1988. (Cited on page 16.)
- Adelbert W. Bronkhorst. The cocktail party phenomenon: A review of research on speech intelligibility in multiple-talker conditions. *Acta Acustica united with Acustica*, pages 117–128, January 2000. (Cited on pages 2, 14, and 16.)
- Guy J. Brown and Kalle J. Palomäki. Reverberation. In Deliang Wang and Guy J. Brown, editors, *Computational Auditory Scene Analysis: Principles, Algorithms, and Applications*, chapter 7, pages 209–250. Wiley-IEEE Press, 2006. (Cited on pages 14, 18, 26, and 30.)
- Guy J. Brown, Sue Harding, and Jon P. Barker. Speech separation based on the statistics of binaural auditory features. In *Proceedings of the IEEE International Conference on Acoustics, Speech, and Signal Processing*, volume 5, pages 949–952, 2006. (Cited on page 79.)
- Douglas S. Brungart. Informational and energetic masking effects in the perception of two simultaneous talkers. *Journal of the Acoustical Society of America*, 109(3):1101–1109, 2001. (Cited on pages 19, 20, and 113.)
- Douglas S. Brungart, Brian D. Simpson, and Richard L. Freyman. Precedence-based speech segregation in a virtual auditory environment. *Journal of the Acoustical Society of America*, 118(5):3241–3251, 2005. (Cited on page 113.)
- Douglas S. Brungart, Peter S. Chang, Brian D. Simpson, and Deliang Wang. Isolating the energetic component of speech-on-speech masking with ideal time-frequency segregation. *Journal of the Acoustical Society of America*, 120(6):4007–4018, 2006. (Cited on pages 2, 20, and 112.)
- H. Buchner, R. Aichner, and W. Kellermann. Trinicon: a versatile framework for multichannel blind signal processing. In *Proceedings of the IEEE International Conference on Acoustics, Speech, and Signal Processing*, volume 3, pages iii–889–92 vol.3, 2004. (Cited on page 28.)
- Herbert Buchner, Robert Aichner, and Walter Kellermann. A generalization of blind source separation algorithms for convolutive mixtures based on second-order statistics. *IEEE Transactions on Speech and Audio Processing*, 13(1):120–134, 2005. (Cited on pages 28, 78, 100, 102, and 132.)
- R. A. Butler and R. A. Humanski. Localization of sound in the vertical plane with and without high-frequency spectral cues. *Perception & psychophysics*, 51(2):182–186, February 1992. (Cited on page 23.)
- Densil Cabrera, Daeup Jeong, Hyun J. Kwak, and Ji-Young Kim. Auditory room size perception for modeled and measured rooms. In *Congress and exposition on noise control engineering*, August 2005. (Cited on page 13.)
- J. Capon. High-resolution frequency-wavenumber spectrum analysis. *Proceedings of the IEEE*, 57(8):1408–1418, 1969. (Cited on page 27.)
- G. Clifford Carter. *Coherence and Time Delay Estimation: An Applied Tutorial for Research, Development, Test, and Evaluation Engineers*. IEEE Press, 1993. (Cited on page 60.)

- B. Champagne, S. Bedard, and A. Stephenne. Performance of time-delay estimation in the presence of room reverberation. *IEEE Transactions on Speech and Audio Processing*, 4(2): 148–152, 1996. (Cited on page 31.)
- C. M. Chernick, S. Leigh, K. L. Mills, and R. Toense. Testing the ability of speech recognizers to measure the effectiveness of encoding algorithms for digital speech transmission. In *IEEE Military Communications Conference*, volume 2, pages 1468–1472 vol.2, 1999. (Cited on page 112.)
- Colin E. Cherry. Some experiments on the recognition of speech, with one and with two ears. *Journal of the Acoustical Society of America*, 25(5):975–979, 1953. (Cited on page 14.)
- Seungjin Choi, Andrzej Cichocki, Hyung-Min Park, and Soo-Young Lee. Blind source separation and independent component analysis: A review. *Neural Information Processing - Letters and Reviews*, 6(1):1–57, January 2005. (Cited on page 28.)
- Rachel K. Clifton. Breakdown of echo suppression in the precedence effect. *Journal of the Acoustical Society of America*, 82(5):1834–1835, 1987. (Cited on page 24.)
- H. Steven Colburn. Theory of binaural interaction based on auditory-nerve data. i. general strategy and preliminary results on interaural discrimination. *Journal of the Acoustical Society of America*, 54(6):1458–1470, 1973. (Cited on page 25.)
- Steven H. Colburn and Abhijit Kulkarni. Models of sound localization. In Arthur N. Popper and Richard R. Fay, editors, *Sound Source Localization*, volume 25, chapter 8, pages 272–316. Springer, New York, 2005. (Cited on page 25.)
- Paul D. Coleman. Dual role of frequency spectrum in determination of auditory distance. *Journal of the Acoustical Society of America*, 44(2):631–632, 1968. (Cited on page 23.)
- Martin Cooke, Phil Green, Ljubomir Josifovski, and Ascension Vizinho. Robust automatic speech recognition with missing and unreliable acoustic data. *Speech Communication*, 34(3):267–285, June 2001. (Cited on pages 29 and 30.)
- Martin Cooke, Garcia M. L. Lecumberri, and Jon Barker. The foreign language cocktail party problem: Energetic and informational masking effects in non-native speech perception. *Journal of the Acoustical Society of America*, 123(1):414–427, 2008. (Cited on page 20.)
- Martin Cooke, John R. Hershey, and Steven J. Rennie. Monaural speech separation and recognition challenge. *Computer Speech & Language*, 2009. (Cited on page 29.)
- Thomas M. Cover and Joy A. Thomas. *Elements of Information Theory*. Wiley-Interscience, second edition, July 2006. (Cited on page 67.)
- John F. Culling and Quentin Summerfield. Perceptual separation of concurrent speech sounds: Absence of across-frequency grouping by common interaural delay. *Journal of the Acoustical Society of America*, 98(2):785–797, 1995. (Cited on page 18.)
- John F. Culling, Kathryn I. Hodder, and Chaz Y. Toh. Effects of reverberation on perceptual segregation of competing voices. *Journal of the Acoustical Society of America*, 114(5): 2871–2876, 2003. (Cited on page 17.)

- C. J. Darwin and R. W. Hukin. Auditory objects of attention: the role of interaural time differences. *Journal of experimental psychology. Human perception and performance*, 25(3): 617–629, June 1999. (Cited on pages 18 and 19.)
- C. J. Darwin and R. W. Hukin. Effectiveness of spatial cues, prosody, and talker characteristics in selective attention. *Journal of the Acoustical Society of America*, 107(2):970–977, 2000a. (Cited on pages 18 and 19.)
- C. J. Darwin and R. W. Hukin. Effects of reverberation on spatial, prosodic, and vocal-tract size cues to selective attention. *Journal of the Acoustical Society of America*, 108(1):335–342, 2000b. (Cited on page 19.)
- Chris J. Darwin. Auditory grouping. *Trends in Cognitive Sciences*, 1(9):327–333, December 1997. (Cited on page 18.)
- Chris J. Darwin. Listening to speech in the presence of other sounds. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 363(1493):1011–1021, March 2007. (Cited on page 14.)
- L. Di Persia, D. Milone, H. Rufiner, and M. Yanagida. Perceptual evaluation of blind source separation for robust speech recognition. *Signal Processing*, 88(10):2578–2583, October 2008. (Cited on pages 95, 112, and 128.)
- Joseph H. Dibiase, Harvey F. Silverman, and Michael S. Brandstein. Robust localization in reverberant rooms. In Michael S. Brandstein and Darren Ward, editors, *Microphone Arrays: Signal Processing Techniques and Applications*, chapter 8. Springer, 2001. (Cited on page 32.)
- Scott C. Douglas. Blind separation of acoustic signals. In Michael S. Brandstein and Darren Ward, editors, *Microphone Arrays: Signal Processing Techniques and Applications*, chapter 16, pages 355–380. Springer, 2001. (Cited on page 27.)
- Ward R. Drennan, Stuart Gatehouse, and Catherine Lever. Perceptual segregation of competing speech sounds: The role of spatial location. *Journal of the Acoustical Society of America*, 114(4):2178–2189, 2003. (Cited on page 19.)
- Rob Drullman, Joost M. Festen, and Reinier Plomp. Effect of reducing slow temporal modulations on speech reception. *Journal of the Acoustical Society of America*, 95(5): 2670–2680, 1994a. (Cited on page 50.)
- Rob Drullman, Joost M. Festen, and Reinier Plomp. Effect of temporal envelope smearing on speech reception. *Journal of the Acoustical Society of America*, 95(2):1053–1064, 1994b. (Cited on page 50.)
- K. Ducatel, M. Bogdanowicz, F. Scapolo, J. Leijten, and J-C. Burgelman. Scenarios for ambient intelligence in 2010. Technical report, Information and Communication Technologies Advisory Group (ISTAG), February 2001. (Cited on page 2.)
- Nathaniel I. Durlach. Equalization and cancellation theory of binaural masking-level differences. *Journal of the Acoustical Society of America*, 35(8):1206–1218, 1963. (Cited on page 25.)

- Nathaniel I. Durlach. Source separation, localization, and comprehension in humans, machines, and human-machine systems. In Pierre Divenyi, editor, *Speech Separation by Humans and Machines*, pages 221–243. Kulwer Academic Press, 2005. (Cited on page 21.)
- Nathaniel I. Durlach, Christine R. Mason, Jr, Tanya L. Arbogast, H. Steven Colburn, and Barbara G. Shinn-Cunningham. Note on informational masking (I). *Journal of the Acoustical Society of America*, 113(6):2984–2987, 2003. (Cited on page 20.)
- M. Ebata, T. Sone, and T. Nimura. On the perception of direction of echo. *The Journal of the Acoustical Society of America*, 44(2):542–547, 1968. (Cited on page 11.)
- D. P. W. Ellis and Keansub Lee. Accessing minimal-impact personal audio archives. *Multimedia, IEEE*, 13(4):30–38, 2006. (Cited on page 2.)
- Daniel Ellis. Evaluating speech separation systems. In Pierre Divenyi, editor, *Speech Separation by Humans and Machines*, chapter 20, pages 295–304. Kluwer, 2004. (Cited on pages 111 and 112.)
- Daniel P. W. Ellis. Model-based scene analysis. In DeLiang Wang and Guy J. Brown, editors, *Computational Auditory Scene Analysis: Principles, Algorithms, and Application*, chapter 4, pages 115–146. Wiley/IEEE Press, 2006. (Cited on page 45.)
- Daniel P. W. Ellis and Michael I. Mandel. EE E6820: Speech and audio processing and recognition. Lecture Notes, 2009. (Cited on page 34.)
- Y. Ephraim, D. Malah, and B. H. Juang. On the application of hidden markov models for enhancing noisy speech. *IEEE Trans. Acoust., Speech, Signal Process.*, 37(12):1846–1856, 1989. (Cited on page 29.)
- Christof Faller and Juha Merimaa. Source localization in complex listening situations: Selection of binaural cues based on interaural coherence. *Journal of the Acoustical Society of America*, 116(5):3075–3089, 2004. (Cited on pages 24, 56, and 60.)
- Albert S. Feng and Douglas L. Jones. Localization-based grouping. In Deliang Wang and Guy J. Brown, editors, *Computational Auditory Scene Analysis: Principles, Algorithms, and Applications*, chapter 6, pages 187–207. Wiley-IEEE Press, 2006. (Cited on page 27.)
- Harvey Fletcher and Rogers H. Galt. The perception of speech and its relation to telephony. *Journal of the Acoustical Society of America*, 22(2):89–151, 1950. (Cited on page 14.)
- N. R. French and J. C. Steinberg. Factors governing the intelligibility of speech sounds. *Journal of the Acoustical Society of America*, 19(1):90–119, 1947. (Cited on page 14.)
- Richard L. Freyman, Karen S. Helfer, Daniel D. McCall, and Rachel K. Clifton. The role of perceived spatial separation in the unmasking of speech. *Journal of the Acoustical Society of America*, 106(6):3578–3588, 1999. (Cited on pages 14 and 17.)
- Richard L. Freyman, Uma Balakrishnan, and Karen S. Helfer. Spatial release from informational masking in speech recognition. *Journal of the Acoustical Society of America*, 109(5):2112–2122, 2001. (Cited on pages 17 and 19.)

- Richard L. Freyman, Uma Balakrishnan, and Karen S. Helfer. Effect of number of masking talkers and auditory priming on informational masking in speech recognition. *Journal of the Acoustical Society of America*, 115(5):2246–2256, 2004. (Cited on page 113.)
- O. L. Frost. An algorithm for linearly constrained adaptive array processing. *Proceedings of the IEEE*, 60(8):926–935, 1972. (Cited on page 27.)
- Kaigham J. Gabriel and H. Steven Colburn. Interaural correlation discrimination: I. bandwidth and level dependence. *Journal of the Acoustical Society of America*, 69(5):1394–1401, 1981. (Cited on page 24.)
- M. J. F. Gales and S. J. Young. Robust continuous speech recognition using parallel model combination. *IEEE Transactions on Speech and Audio Processing*, 4(5):352–359, 1996. (Cited on page 29.)
- William G. Gardner. The virtual acoustic room. Master’s thesis, Massachusetts Institute of Technology, Cambridge, MA, September 1992. (Cited on pages 11 and 12.)
- J. S. Garofolo, L. F. Lamel, W. M. Fisher, J. G. Fiscus, D. S. Pallett, and N. L. Dahlgren. DARPA TIMIT acoustic phonetic continuous speech corpus CDROM, 1993. (Cited on pages 35, 49, and 94.)
- R. Gatto and S. Jammalamadaka. The generalized von mises distribution. *Statistical Methodology*, 4(3):341–353, July 2007. (Cited on pages 65, 66, and 68.)
- Jean-Luc Gauvain and Chin-Hui Lee. Maximum a posteriori estimation for multivariate gaussian mixture observations of markov chains. *IEEE Transactions on Speech and Audio Processing*, 2(2):291–298, 1994. (Cited on page 81.)
- Stanley A. Gelfand and Shlomo Silman. Effects of small room reverberation upon the recognition of some consonant features. *Journal of the Acoustical Society of America*, 66(1):22–29, 1979. (Cited on pages 15 and 122.)
- Michael D. Good and Robert H. Gilkey. Sound localization in noise: The effect of signal-to-noise ratio. *Journal of the Acoustical Society of America*, 99(2):1108–1117, 1996. (Cited on pages 24 and 25.)
- D. Wesley Grantham. Spatial hearing and related phenomena. In Brian C. J. Moore, editor, *Hearing, Handbook of perception and cognition*, chapter 9, pages 297–345. Academic Press, second edition, 1995. (Cited on pages 21, 22, and 23.)
- L. Griffiths and C. Jim. An alternative approach to linearly constrained adaptive beamforming. *IEEE Transactions on Antennas and Propagation*, 30(1):27–34, 1982. (Cited on page 27.)
- H. Haas. On the influence of a single echo on the intelligibility of speech. *Acustica*, 1:48–58, 1951. (Cited on page 11.)
- E. J. Hannan and P. J. Thomson. Estimating group delay. *Biometrika*, 60(2):241–253, August 1973. (Cited on page 70.)

- Sue Harding, Jon Barker, and Guy J. Brown. Mask estimation for missing data speech recognition based on statistics of binaural interaction. *IEEE Transactions on Audio, Speech, and Language Processing*, 14(1):58–67, 2006. (Cited on pages 78 and 79.)
- W. M. Hartmann. Localization of sound in rooms. *Journal of the Acoustical Society of America*, 74(5):1380–1391, 1983. (Cited on page 24.)
- Monica L. Hawley, Ruth Y. Litovsky, and H. Steven Colburn. Speech intelligibility and localization in a multi-source environment. *Journal of the Acoustical Society of America*, 105(6):3436–3448, 1999. (Cited on pages 3 and 24.)
- Monica L. Hawley, Ruth Y. Litovsky, and John F. Culling. The benefit of binaural hearing in a cocktail party: Effect of location and type of interferer. *Journal of the Acoustical Society of America*, 115(2):833–843, 2004. (Cited on page 19.)
- John R. Hershey, Steven J. Rennie, Peder A. Olsen, and Trausti T. Kristjansson. Super-human multi-talker speech recognition: A graphical modeling approach. *Computer Speech & Language*, January 2009. (Cited on page 29.)
- T. Hidaka, Y. Yamada, and T. Nakagawa. A new definition of boundary point between early reflections and late reverberation in room impulse responses. *Journal of the Acoustical Society of America*, 122(1):326–332, July 2007. (Cited on page 11.)
- Nicholas I. Hill and Chris J. Darwin. Lateralization of a perturbed harmonic: Effects of onset asynchrony and mistuning. *Journal of the Acoustical Society of America*, 100(4):2352–2364, 1996. (Cited on page 18.)
- Ira J. Hirsh. The relation between localization and intelligibility. *Journal of the Acoustical Society of America*, 22(2):196–200, 1950. (Cited on pages 14 and 16.)
- Paul M. Hofman, Jos G. A. Van Riswick, and A. John Van Opstal. Relearning sound localization with new ears. *Nature Neuroscience*, 1(5):417–421, September 1998. (Cited on page 23.)
- T. Houtgast and H. J. M. Steeneken. A review of the mtf concept in room acoustics and its use for estimating speech intelligibility in auditoria. *Journal of the Acoustical Society of America*, 77(3):1069–1077, 1985. (Cited on page 15.)
- Guoning Hu and Deliang Wang. Monaural speech separation. In *Advances in Neural Information Processing Systems*, volume 15, pages 1221–1228, 2003. (Cited on pages 113 and 125.)
- Yi Hu and P. C. Loizou. Evaluation of objective quality measures for speech enhancement. *Audio, Speech, and Language Processing, IEEE Transactions on*, 16(1):229–238, 2008. (Cited on pages 112 and 128.)
- J. Huopaniemi, L. Savioja, and M. Karjalainen. Modeling of reflections and air absorption in acoustical spaces a digital filter design approach. In *Applications of Signal Processing to Audio and Acoustics, 1997. 1997 IEEE ASSP Workshop on*, pages 4 pp.+, 1997. (Cited on page 13.)
- Aapo Hyvärinen. Survey on independent component analysis. *Neural Computing Surveys*, 2:94–128, 1999. (Cited on pages 28 and 78.)



- Antje Ihlefeld and Barbara G. Shinn-Cunningham. Effect of source location and listener location on ild cues in a reverberant room. *Journal of the Acoustical Society of America*, 115(5):2598, 2004. (Cited on page 42.)
- Antje Ihlefeld and Barbara G. Shinn-Cunningham. Disentangling the effects of spatial cues on selection and formation of auditory objects. *Journal of the Acoustical Society of America*, 124(4):2224–2235, 2008. (Cited on pages 4, 19, and 20.)
- Alex Ihler. Kernel density estimation toolbox for MATLAB, 2005. (Cited on page 48.)
- Shiro Ikeda and Noboru Murata. A method of ica in time-frequency domain. In *in Proc. ICA*, pages 365–371, 1999. (Cited on page 28.)
- Yosuke Izumi, Nobutaka Ono, and Shigeki Sagayama. Sparseness-based 2CH BSS using the EM algorithm in reverberant environment. In *IEEE Workshop on Applications of Signal Processing to Audio and Acoustics*, pages 147–150, 2007. (Cited on page 12.)
- A. Janin, D. Baron, J. Edwards, D. Ellis, D. Gelbart, N. Morgan, B. Peskin, T. Pfau, E. Shriberg, A. Stolcke, and C. Wooters. The icsi meeting corpus. In *Acoustics, Speech, and Signal Processing, 2003. Proceedings. (ICASSP '03). 2003 IEEE International Conference on*, volume 1, pages I-364–I-367 vol.1, 2003. (Cited on page 2.)
- Lloyd A. Jeffress. A place theory of sound localization. *Journal of Comparative and Physiological Psychology*, 41(1):35–39, February 1948. (Cited on page 25.)
- Wenyu Jiang and H. Schulzrinne. Speech recognition performance as an effective perceived quality predictor. In *Quality of Service, 2002. Tenth IEEE International Workshop on*, pages 269–275, 2002. (Cited on page 112.)
- Alexander Jourjine, Scott Rickard, and Özgür Yilmaz. Blind separation of disjoint orthogonal signals: demixing n sources from 2 mixtures. In *Proceedings of the IEEE International Conference on Acoustics, Speech, and Signal Processing*, volume 5, pages 2985–2988, 2000. (Cited on pages 53, 56, 78, 79, 100, and 101.)
- Jr, Christine R. Mason, Tanya L. Rohtla, and Phalguni S. Deliwala. Release from masking due to spatial separation of sources in the identification of nonspeech auditory patterns. *Journal of the Acoustical Society of America*, 104(1):422–431, 1998. (Cited on page 113.)
- Gerald Kidd, Tanya L. Arbogast, Christine R. Mason, and Frederick J. Gallun. The advantage of knowing where to listen. *Journal of the Acoustical Society of America*, 118(6):3804–3815, 2005a. (Cited on pages 19, 20, and 113.)
- Gerald Kidd, Christine R. Mason, Andrew Brughera, and William M. Hartmann. The role of reverberation in release from masking due to spatial separation of sources for speech identification. *Acta Acustica united with Acustica*, 91(3):526–536, 2005b. (Cited on page 21.)
- Gerald Kidd, Christine Mason, Virginia Richards, Frederick Gallun, and Nathaniel I. Durlach. Informational masking. In William A. Yost, Arthur N. Popper, and Richard R. Fay, editors, *Auditory Perception of Sound Sources*, pages 143–189. Springer, 2007. (Cited on page 20.)
- R. G. Klumpp and H. R. Eady. Some measurements of interaural time difference thresholds. *Journal of the Acoustical Society of America*, 28(5):859–860, 1956. (Cited on page 23.)

- Charles H. Knapp and G. Clifford Carter. The generalized correlation method for estimation of time delay. In *IEEE Trans. Acoust., Speech, Signal Process.*, volume 4, pages 320–327, 1976. (Cited on pages 31, 55, 69, and 70.)
- Eric I. Knudsen. Synthesis of a neural map of auditory space in the owl. *Dynamic aspects of neocortical function*, pages 375–396, 1984. (Cited on page 23.)
- Sergei Kochkin. MarkeTrak V: “Why my hearing aids are in the drawer”: The consumers’ perspective. *Hearing Journal*, 53(2):34–42, 2000. (Cited on page 2.)
- J. Koehnke and J. M. Besing. A procedure for testing speech intelligibility in a virtual listening environment. *Ear and hearing*, 17(3):211–217, June 1996. (Cited on page 16.)
- W. Koenig. Subjective effects in binaural hearing. *Journal of the Acoustical Society of America*, 22(1):61–62, 1950. (Cited on pages 14 and 15.)
- B. Kollmeier, J. Peissig, and V. Hohmann. Real-time multiband dynamic compression and noise reduction for binaural hearing aids. *Journal of rehabilitation research and development*, 30(1):82–94, 1993. (Cited on page 30.)
- Dorothea Kolossa, Aleksander Klimas, and Reinhold Orglmeister. Separation and robust recognition of noisy, convolutive speech mixtures using time-frequency masking and missing data techniques. In *IEEE Workshop on Applications of Signal Processing to Audio and Acoustics*, pages 82–85, 2005. (Cited on pages 29 and 30.)
- Trausti Kristjansson, Hagai Attias, and John Hershey. Single microphone source separation using high resolution signal reconstruction. In *Proceedings of the IEEE International Conference on Acoustics, Speech, and Signal Processing*, volume 2, pages 817–820, 2004. (Cited on page 29.)
- A. Krokstad, S. Strom, and S. Sorsdal. Calculating the acoustical room response by the use of a ray tracing technique. *Journal of Sound and Vibration*, 8(1):118–125, 1968. (Cited on page 12.)
- Roland Kuhn, Patrick Nguyen, Jean-Claude Junqua, Lloyd Goldwasser, Nancy Niedzielski, Steven Fincke, Ken Field, and Matteo Contolini. Eigenvoices for speaker adaptation. In *International Conference on Spoken Language Processing*, December 1998. (Cited on page 86.)
- Erik Larsen, Nandini Iyer, Charissa R. Lansing, and Albert S. Feng. On the minimum audible difference in direct-to-reverberant energy ratio. *Journal of the Acoustical Society of America*, 124(1):450–461, 2008. (Cited on page 13.)
- Y. Li and D. Wang. On the optimality of ideal binary time-frequency masks. *Speech Communication*, 51(3):230–239, March 2009. (Cited on pages 45, 46, and 125.)
- Brad Libbey and Peter H. Rogers. The effect of overlap-masking on binaural reverberant word intelligibility. *Journal of the Acoustical Society of America*, 116(5):3141–3151, 2004. (Cited on pages 13 and 15.)
- J. C. R. Licklider. The influence of interaural phase relations upon the masking of speech by white noise. *Journal of the Acoustical Society of America*, 20(2):150–159, 1948. (Cited on pages 14 and 25.)

- Ruth Y. Litovsky, Steven H. Colburn, William A. Yost, and Sandra J. Guzman. The precedence effect. *Journal of the Acoustical Society of America*, 106(4):1633–1654, 1999. (Cited on pages 11, 24, and 43.)
- Chen Liu, Bruce C. Wheeler, Jr, Robert C. Bilger, Charissa R. Lansing, and Albert S. Feng. Localization of multiple sound sources with two microphones. *Journal of the Acoustical Society of America*, 108(4):1888–1905, 2000. (Cited on pages 56 and 78.)
- Chen Liu, Bruce C. Wheeler, Jr, Charissa R. Lansing, Robert C. Bilger, Douglas L. Jones, and Albert S. Feng. A two-microphone dual delay-line approach for extraction of a speech sound in the presence of multiple interferers. *Journal of the Acoustical Society of America*, 110(6):3218–3231, 2001. (Cited on page 30.)
- J. Lochner and J. Burger. The influence of reflections on auditorium acoustics. *Journal of Sound and Vibration*, 1(4):426–454, October 1964. (Cited on pages 13 and 46.)
- Philipos C. Loizou. *Speech Enhancement: Theory and Practice (Signal Processing and Communications)*. CRC, June 2007. (Cited on pages 95 and 128.)
- R. Lyon. A computational model of binaural localization and separation. In *Proceedings of the IEEE International Conference on Acoustics, Speech, and Signal Processing*, volume 8, pages 1148–1151, 1983. (Cited on page 30.)
- N. W. MacKeith and R. R. A. Coles. Binaural advantages in hearing of speech. *The Journal of Laryngology & Otology*, 85(03):213–232, 1971. (Cited on page 16.)
- James C. Makous and John C. Middlebrooks. Two-dimensional sound localization by human listeners. *Journal of the Acoustical Society of America*, 87(5):2188–2200, 1990. (Cited on pages 22 and 23.)
- Michael I. Mandel and Daniel P. Ellis. EM localization and separation using interaural level and phase cues. In *IEEE Workshop on Applications of Signal Processing to Audio and Acoustics*, pages 275–278, 2007. (Cited on pages 7, 78, 96, and 125.)
- Michael I. Mandel and Daniel P. W. Ellis. The ideal interaural parameter mask: a bound on binaural separation systems. In *IEEE Workshop on Applications of Signal Processing to Audio and Acoustics*, October 2009. To appear. (Cited on pages 7, 45, and 132.)
- Michael I. Mandel and Daniel P. W. Ellis. A probability model for interaural phase difference. In *ISCA Workshop on Statistical and Perceptual Audio Processing*, pages 1–6, Pittsburgh, PA, 2006. (Cited on pages 6 and 53.)
- Michael I. Mandel, Daniel P. W. Ellis, and Tony Jebara. An EM algorithm for localizing multiple sound sources in reverberant environments. In B. Schölkopf, J. Platt, and T. Hoffman, editors, *Advances in Neural Information Processing Systems*, pages 953–960. MIT Press, Cambridge, MA, 2007. (Cited on pages 6, 78, 80, 96, and 125.)
- Michael I. Mandel, Ron J. Weiss, and Daniel P. W. Ellis. Model-based expectation maximization source separation and localization. *IEEE Transactions on Audio, Speech, and Language Processing*, 2009. In press. (Cited on pages 7, 78, and 96.)
- Kanti V. Mardia. Statistics of directional data. *Journal of the Royal Statistical Society. Series B (Methodological)*, 37(3):349–393, 1975. (Cited on pages 65, 66, and 67.)

- Kanti V. Mardia and S. A. M. El-Atoum. Bayesian inference for the von mises-fisher distribution. *Biometrika*, 63(1):203–206, January 1976. (Cited on page 65.)
- Kanti V. Mardia and Peter E. Jupp. *Directional Statistics*. Wiley, second edition, 1999. (Cited on page 65.)
- D. H. Mershon and J. N. Bowers. Absolute and relative cues for the auditory perception of egocentric distance. *Perception*, 8(3):311–322, 1979. (Cited on page 23.)
- John C. Middlebrooks and David M. Green. Sound localization by human listeners. *Annu Rev Psychol*, 42:135–159, 1991. (Cited on pages 21 and 23.)
- A. W. Mills. On the minimum audible angle. *Journal of the Acoustical Society of America*, 30(4):237–246, 1958. (Cited on pages 22, 23, and 34.)
- A. W. Mills. Lateralization of high-frequency tones. *Journal of the Acoustical Society of America*, 32(1):132–134, 1960. (Cited on page 23.)
- A. Moiseff and M. Konishi. Neuronal and behavioral sensitivity to binaural time differences in the owl. *The Journal of neuroscience : the official journal of the Society for Neuroscience*, 1(1):40–48, January 1981. (Cited on pages 23 and 53.)
- John P. Moncur and Donald Dirks. Binaural and monaural speech intelligibility in reverberation. *J Speech Hear Res*, 10(2):186–195, June 1967. (Cited on page 15.)
- Charles T. Morrow. Point-to-point correlation of sound pressures in reverberation chambers. *Journal of the Acoustical Society of America*, 45(1):337, 1969. (Cited on page 12.)
- Joan Mouba and Sylvain Marchand. A source localization/separation/respatialization system based on unsupervised classification of interaural cues. In *Proceedings of the International Conference on Digital Audio Effects*, pages 233–238, 2006. (Cited on pages 78, 79, 100, and 101.)
- Anna K. Nábělek and David Mason. Effect of noise and reverberation on binaural and monaural word identification by subjects with various audiograms. *J Speech Hear Res*, 24(3):375–383, September 1981. (Cited on pages 2 and 13.)
- Anna K. Nábělek and J. M. Pickett. Reception of consonants in a classroom as affected by monaural and binaural listening, noise, reverberation, and hearing aids. *Journal of the Acoustical Society of America*, 56(2):628–639, 1974. (Cited on page 15.)
- Anna K. Nábělek and Pauline K. Robinson. Monaural and binaural speech perception in reverberation for listeners of various ages. *Journal of the Acoustical Society of America*, 71(5):1242–1248, 1982. (Cited on pages 14 and 15.)
- Johannes Nix and Volker Hohmann. Sound source localization in real sound fields based on empirical statistics of interaural parameters. *Journal of the Acoustical Society of America*, 119(1):463–479, 2006. (Cited on pages 31 and 79.)
- M. Omura, M. Yada, H. Saruwatari, S. Kajita, K. Takeda, and F. Itakura. Compensating of room acoustic transfer functions affected by change of room temperature. In *Proceedings of the IEEE International Conference on Acoustics, Speech, and Signal Processing*, volume 2, pages 941–944, 1999. (Cited on page 13.)

- Kalle J. Palomäki, Guy J. Brown, and Deliang Wang. A binaural processor for missing data speech recognition in the presence of noise and small-room reverberation. *Speech Communication*, 43(4):361–378, September 2004. (Cited on pages 29 and 30.)
- Hyung-Min Park and R. M. Stern. Missing feature speech recognition using dereverberation and echo suppression in reverberant environments. In *Proceedings of the IEEE International Conference on Acoustics, Speech, and Signal Processing*, volume 4, pages 381–384, 2007. (Cited on page 116.)
- Emanuel Parzen. On estimation of a probability density function and mode. *The Annals of Mathematical Statistics*, 33(3):1065–1076, 1962. (Cited on page 48.)
- Michael Pedersen, Jan Larsen, Ulrik Kjems, and Lucas Parra. Convolutional blind source separation methods. In *Springer Handbook of Speech Processing*, chapter 52, pages 1065–1094. Springer, 2007. (Cited on pages 27 and 28.)
- Jürgen Peissig and Birger Kollmeier. Directivity of binaural noise reduction in spatial multiple noise-source arrangements for normal and impaired listeners. *Journal of the Acoustical Society of America*, 101(3):1660–1670, 1997. (Cited on page 16.)
- V. M. A. Peutz. Articulation loss of consonants as a criterion for speech transmission in a room. *Journal of Audio Engineering Society*, 19(11):23–27, 1971. (Cited on page 13.)
- R. Plomp. Binaural and monaural speech intelligibility of connected discourse in reverberation as a function of azimuth of a single competing sound source (speech or noise). *Acustica*, 34(4):200–211, 1976. (Cited on page 16.)
- R. Plomp. Acoustical aspects of cocktail parties. *Acustica*, 38:186–191, 1977. (Cited on page 14.)
- R. Plomp and A. M. Mimpen. Effect of the orientation of the speaker’s head and azimuth of a noise source on the speech reception threshold for sentences. *Acustica*, 48:325–328, 1981. (Cited on page 16.)
- B. D. Radlovic, R. C. Williamson, and R. A. Kennedy. Equalization in an acoustic reverberant environment: robustness results. *IEEE Transactions on Speech and Audio Processing*, 8(3):311–319, 2000. (Cited on page 13.)
- Bhiksha Raj, Michael L. Seltzer, and Richard M. Stern. Reconstruction of damaged spectrographic features for robust speech recognition. In *International Conference on Spoken Language Processing*, October 2000. (Cited on pages 29 and 30.)
- Bhiksha Raj, Michael L. Seltzer, and Richard M. Stern. Reconstruction of missing features for robust speech recognition. *Speech Communication*, 43(4):275–296, September 2004. (Cited on pages 29 and 30.)
- Carl E. Rasmussen. The infinite gaussian mixture model. In *Advances in Neural Information Processing Systems*, pages 554–560. MIT Press, 2000. (Cited on page 133.)
- Aarthi M. Reddy and Bhiksha Raj. Soft mask estimation for single channel speaker separation. In *ISCA Tutorial and Research Workshop on Statistical and Perceptual Audio Processing*, October 2004. (Cited on page 29.)

- Steven J. Rennie, Parham Aarabi, Trausti Kristjansson, Brendan J. Frey, and K. Achan. Robust variational speech separation using fewer microphones than speakers. In *Proceedings of the IEEE International Conference on Acoustics, Speech, and Signal Processing*, volume 2, pages 741–744, 2003. (Cited on page 88.)
- Steven J. Rennie, Parham Aarabi, and Brendan J. Frey. Variational probabilistic speech separation using microphone arrays. *IEEE Transactions on Audio, Speech, and Language Processing*, 15(1):135–149, 2007. (Cited on page 88.)
- M. J. Reyes-Gomez, D. P. W. Ellis, and N. Jojic. Multiband audio modeling for single-channel acoustic source separation. In *Proceedings of the IEEE International Conference on Acoustics, Speech, and Signal Processing*, volume 5, pages V–641–4 vol.5, 2004. (Cited on page 29.)
- Suzanne K. Roffler and Robert A. Butler. Factors that influence the localization of sound in the vertical plane. *Journal of the Acoustical Society of America*, 43(6):1255–1259, 1968. (Cited on page 23.)
- Nicoleta Roman, Deliang Wang, and Guy J. Brown. Speech segregation based on sound localization. In *International Joint Conference on Neural Networks*, volume 4, pages 2861–2866 vol.4, 2001. (Cited on page 46.)
- Nicoleta Roman, Deliang Wang, and Guy J. Brown. A classification-based cocktail party processor. In *Advances in Neural Information Processing Systems*, pages 1425–1432, 2003. (Cited on pages 78 and 79.)
- J. E. Rose, J. F. Brugge, D. J. Anderson, and J. E. Hind. Phase-locked response to low-frequency tones in single auditory nerve fibers of the squirrel monkey. *Journal of neurophysiology*, 30(4):769–793, July 1967. (Cited on page 23.)
- S. Roweis. Factorial models and refiltering for speech separation and denoising, 2003. (Cited on page 29.)
- Sam Roweis. One microphone source separation. In *Advances in Neural Information Processing Systems*, pages 793–799, 2001. (Cited on pages 44 and 46.)
- R. Roy and T. Kailath. Esprit-estimation of signal parameters via rotational invariance techniques. *IEEE Trans. Acoust., Speech, Signal Process.*, 37(7):984–995, 1989. (Cited on page 32.)
- H. Saruwatari, S. Kurita, and K. Takeda. Blind source separation combining frequency-domain ica and beamforming. In *Proceedings of the IEEE International Conference on Acoustics, Speech, and Signal Processing*, volume 5, pages 2733–2736 vol.5, 2001. (Cited on page 28.)
- H. Sawada, R. Mukai, S. Araki, and S. Makino. A robust and precise method for solving the permutation problem of frequency-domain blind source separation. *IEEE Transactions on Speech and Audio Processing*, 12(5):530–538, 2004. (Cited on page 28.)
- Hiroshi Sawada, Shoko Araki, and Shoji Makino. A two-stage frequency-domain blind source separation method for underdetermined convolutive mixtures. In *IEEE Workshop on Applications of Signal Processing to Audio and Acoustics*, pages 139–142, 2007. (Cited on pages 79, 100, 101, and 132.)

- Bruce Sayers and E. Colin Cherry. Mechanism of binaural fusion in the hearing of speech. *Journal of the Acoustical Society of America*, 29(9):973–987, 1957. (Cited on page 25.)
- R. Schmidt. Multiple emitter location and signal parameter estimation. *IEEE Transactions on Antennas and Propagation*, 34(3):276–280, 1986. (Cited on page 32.)
- M. R. Schroeder. Digital simulation of sound transmission in reverberant spaces. *Journal of the Acoustical Society of America*, 47(2A):424–431, 1970. (Cited on page 12.)
- M. Seltzer, B. Raj, and R. Stern. A bayesian classifier for spectrographic mask estimation for missing feature speech recognition. *Speech Communication*, 43(4):379–393, September 2004. (Cited on page 116.)
- Robert V. Shannon, Fan-Gang Zeng, Vivek Kamath, John Wygonski, and Michael Ekelid. Speech recognition with primarily temporal cues. *Science*, 270(5234):303–304, October 1995. (Cited on page 112.)
- Barbara G. Shinn-Cunningham. Object-based auditory and visual attention. *Trends in Cognitive Sciences*, 12(5):182–186, May 2008. (Cited on pages 18 and 113.)
- Barbara G. Shinn-Cunningham, Norbert Kopco, and Tara J. Martin. Localizing nearby sound sources in a classroom: Binaural room impulse responses. *Journal of the Acoustical Society of America*, 117(5):3100–3115, 2005. (Cited on pages 35, 70, 91, 94, and 98.)
- B. W. Silverman. *Density Estimation for Statistics and Data Analysis*. Chapman & Hall/CRC, April 1986. (Cited on page 48.)
- P. Smaragdis. Blind separation of convolved mixtures in the frequency domain. *Neurocomputing*, 22(1-3):21–34, November 1998. (Cited on page 28.)
- Richard M. Stern and Constantine Trahiotis. Models of binaural interaction. In Brian C. J. Moore, editor, *Hearing, Handbook of perception and cognition*, chapter 10, pages 347–387. Academic Press, second edition, 1995. (Cited on pages 25, 56, and 75.)
- Richard M. Stern, Andrew S. Zeiberg, and Constantine Trahiotis. Lateralization of complex binaural stimuli: A weighted-image model. *Journal of the Acoustical Society of America*, 84(1):156–165, 1988. (Cited on pages 25 and 78.)
- Richard M. Stern, Guy J. Brown, and Deliang Wang. Binaural sound localization. In Deliang Wang and Guy J. Brown, editors, *Computational Auditory Scene Analysis: Principles, Algorithms, and Applications*, chapter 5, pages 147–185. Wiley-IEEE Press, 2006. (Cited on pages 21, 25, and 78.)
- S. S. Stevens and E. B. Newman. The localization of actual sources of sound. *The American Journal of Psychology*, 48(2):297–306, 1936. (Cited on page 22.)
- John W. Strutt. On our perception of sound direction. *Philosophical Magazine*, 13:214–232, 1907. (Cited on page 22.)
- Yoji Takata and Anna K. Nábělek. English consonant recognition in noise and in reverberation by japanese and american listeners. *The Journal of the Acoustical Society of America*, 88(2):663–666, 1990. (Cited on page 13.)

- Mark M. Tobenkin. Nonlinear filtering for narrow-band time delay estimation. Master's thesis, Massachusetts Institute of Technology, February 2009. (Cited on page 68.)
- A. P. Varga and R. K. Moore. Hidden markov model decomposition of speech and noise. In *Acoustics, Speech, and Signal Processing, 1990. ICASSP-90., 1990 International Conference on*, pages 845–848 vol.2, 1990. (Cited on page 29.)
- E. Vincent, R. Gribonval, and C. Fevotte. Performance measurement in blind audio source separation. *IEEE Transactions on Audio, Speech, and Language Processing*, 14(4):1462–1469, 2006. (Cited on pages 94 and 123.)
- Emmanuel Vincent, Shoko Araki, and Pau Bofill. The 2008 signal separation evaluation campaign: A community-based approach to large-scale evaluation. In *Independent Component Analysis and Signal Separation*, pages 734–741, 2009. (Cited on pages 94 and 123.)
- Harald Viste and Gianpaolo Evangelista. On the use of spatial cues to improve binaural source separation. In *DAFx-03*, 2003. (Cited on pages 78 and 79.)
- Georg Von Békésy. *Experiments in Hearing*. McGraw-Hill, 1960. (Cited on pages 13, 14, and 15.)
- Hans Wallach, Edwin B. Newman, and Mark R. Rosenzweig. The precedence effect in sound localization. *The American Journal of Psychology*, 62(3):315–336, 1949. (Cited on page 24.)
- Deliang Wang, Ulrik Kjems, Michael S. Pedersen, Jesper B. Boldt, and Thomas Lunner. Speech perception of noise with binary gains. *Journal of the Acoustical Society of America*, 124(4):2303–2307, 2008. (Cited on pages 20, 112, and 120.)
- Darren B. Ward, Rodney A. Kennedy, and Robert C. Williamson. Constant directivity beamforming. In Michael S. Brandstein and Darren Ward, editors, *Microphone Arrays: Signal Processing Techniques and Applications*, chapter 1, pages 3–17. Springer, 2001. (Cited on page 27.)
- Anthony J. Watkins and Nigel J. Holt. Effects of a complex reflection on vowel identification. *Acta Acustica united with Acustica*, pages 532–542, May 2000. (Cited on page 11.)
- Mitch Weintraub. *A theory and computational model of auditory monaural sound separation*. PhD thesis, Stanford University department of Electrical Engineering, 1985. (Cited on pages 112 and 116.)
- Ron J. Weiss. *Underdetermined Source Separation Using Speaker Subspace Models*. PhD thesis, Columbia University, May 2009. (Cited on pages 26, 86, and 88.)
- Ron J. Weiss and Daniel P. Ellis. Monaural speech separation using source-adapted models. In *Proceedings of the IEEE International Conference on Acoustics, Speech, and Signal Processing*, pages 114–117, 2007. (Cited on page 29.)
- Ron J. Weiss, Michael I. Mandel, and Daniel P. W. Ellis. Source separation based on binaural cues and source model constraints. In *Proc. Interspeech*, pages 419–422, September 2008. (Cited on pages 7, 78, and 86.)



- Elizabeth M. Wenzel, Marianne Arruda, Doris J. Kistler, and Frederic L. Wightman. Localization using nonindividualized head-related transfer functions. *Journal of the Acoustical Society of America*, 94(1):111–123, 1993. (Cited on page 23.)
- Frederic L. Wightman and Doris J. Kistler. The dominant role of low-frequency interaural time differences in sound localization. *Journal of the Acoustical Society of America*, 91(3):1648–1661, 1992. (Cited on pages 22 and 53.)
- Kevin W. Wilson. Speech source separation by combining localization cues with mixture models of speech spectra. In *Proceedings of the IEEE International Conference on Acoustics, Speech, and Signal Processing*, volume 1, pages 33–36, 2007. (Cited on page 88.)
- Kevin W. Wilson and Trevor Darrell. Learning a precedence effect-like weighting function for the generalized cross-correlation framework. *IEEE Transactions on Audio, Speech, and Language Processing*, 14(6):2156–2164, 2006. (Cited on pages 31 and 43.)
- Thomas Wittkop, Stephan Albani, Volker Hohmann, Jurgen Peissig, William S. Woods, and Birger Kollmeier. Speech processing for hearing aids: Noise reduction motivated by models of binaural interaction. *Acta Acustica united with Acustica*, pages 684–699, July 1997. (Cited on page 30.)
- William S. Woods and H. Steven Colburn. Test of a model of auditory object formation using intensity and interaural time difference discrimination. *Journal of the Acoustical Society of America*, 91(5):2894–2902, 1992. (Cited on page 18.)
- Özgür Yilmaz and Scott Rickard. Blind separation of speech mixtures via time-frequency masking. *IEEE Transactions on Signal Processing*, 52(7):1830–1847, 2004. (Cited on pages 44, 79, 89, 95, 101, 113, and 125.)
- W. A. Yost, R. H. Dye, and S. Sheft. A simulated “cocktail party” with up to three sound sources. *Perception & psychophysics*, 58(7):1026–1036, October 1996. (Cited on page 25.)